

Date: Monday, 10/16/2006 2:01:23 PM
 User: Kim Johnston

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	PLUG
Job Number :	29006		
Estimate Number :	12292		
P.O. Number :	N/A	Part Number :	D26513
This Issue :	10/16/2006	S.O. No. :	N/A
Prsht Rev. :	NC	Drawing Number :	D2651 REV.B
First Issue :	N/A	Project Number :	N/A
Previous Run :	28692	Drawing Revision :	B
	Type :	Material :	N/A
	PURCHASED PARTS	Due Date :	10/30/2006
Written By :			Qty: 300 Um: Each
Checked & Approved By :			
Comment :	est rev. A 06.02.15 new issue EC		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING

Issue P/O: 2260

Purchase P/N: 2-008 as per Dwg D2651

Supplier: Parker

Ensure Certificate of Conformity is attached

C206110117

(300)

2.0	MS28775008	O RING
-----	------------	--------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 300.0000 Each(s)

O RING

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

C206110120

(300)

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D3446

Jdo 10.23

RCPO.9

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 5754

R4/14/25 (300)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ Date: 06/10/05
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 10/16/2006 2:01:23 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: PLUG

Job Number: 29006

Part Number: D26513

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

SP 06/10/25

Job Completion



u 06/10.25

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. D2651	REV. B SHEET 1 OF 1
DATE 03.12.19	TITLE PLUG		SCALE 1:1
A	97.03.25	NEW ISSUE	
B	03.12.19	ADD POWDER COAT, MS28775-008	

RELEASED

03.12.19

D2651-1 PLUG:GROOVE DETAIL (SCALE 5:1)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 29006

D2651-1 PLUG


- 1) MATERIAL: 6061-T6 (QQ-A-225/8) OR 1100-0 (QQ-A-225/1)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.010 MAX

D2651-3 O-RING

- 1) MATERIAL: BUNA N, 70 DUROMETER
3/16 ID, 5/16 OD, 1/16 WIDTH
(PARKER 2-008, MS28775-008 OR EQUIVALENT)

Copyright © 1997 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



M & M Aerospace Hardware, Inc.

P.O. Box 025263, Miami, FL 33102-5263 Tel: 305 925 2600 Fax: 305 507 7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 SITA: MIAMMCR
www.mmaero.com

SO:796917

INVOICE NUMBER

629483

PAGE 1

SOLD TO:

002409

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

ORDER NO.		DATE	SHIP VIA	TERMS	F.O.B.		
2260		10/18/06	FEDX INTL ECON COLL	NET 45	FOB-MIAMI		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED
1	300	MS28775-008 PACKING CTRL# : 2004J03259 LOT# : 80024701 LOT QTY: 300 **COUNTRY OF ORIGIN: USA *** SHIPPED 1 CTN *** # 1=CTN 2# 0 OZ. FREIGHT ACCT# 151793240 TEL# 613-632-3336 DIMENSIONS: 8X8X4 mcp 796917 SHIPPED ON: 10/18/06 INVOICE#.....: 629483 ORDER#.....: 796917			EA	0	300

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY M & M AEROSPACE

WE HEREBY CERTIFY THAT ALL PROVISIONS OF THE FAIR LABOR STANDARDS ACT ON JUNE 25, 1983, AS AMENDED, HAVE BEEN FULLY COMPLIED WITH IN THE MANUFACTURE, PRODUCTION OR PURCHASE OF GOODS LISTED HEREON.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE. ALL PAST DUE ACCOUNTS SHALL BEAR INTEREST AT THE RATE OF 1 1/2% MONTH (18% PER ANNUM)

MATERIAL CERTIFICATION

M & M AEROSPACE HARDWARE, INC. ("M & M AEROSPACE") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENT SPECIFICATIONS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. M & M AEROSPACE DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF M & M AEROSPACE IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT OF THE ITEM WHICH IS REJECTED BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP. SUCH REPLACEMENT SHALL CONSTITUTE SATISFACTION OF ALL LIABILITY. M & M MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL M & M AEROSPACE BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, M & M AEROSPACE MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

Larry Goul
Vice President of Quality Assurance

BY RECEIVING DELIVERY OF THE GOODS COVERED BY THIS INVOICE, BUYER EXPRESSLY ASSENTS TO THE TERMS AND CONDITIONS SET FORTH ON THE REVERSE HEREOF



Parker Hannifin Corporation

O-Ring Division
P.O. Box 2276
Brownsville, TX 78522

Phone: (859) 335-3000

--- NOTICE ---
This is a C.B.I. Compound!

C.B.I. is Parker's exclusive quality assurance program for Controlled Batch Identification, your assurance of reliability.

CONFORMANCE CERTIFICATE FOR MATERIAL SHIPPED

Parker O-Ring Division certifies that the material used in the manufacture of the parts identified below and called for on Purchase Order Number 176110 received by us from SWAN ENGINEERING & SUPPLY is traceable to C.B.I. Number 80024701 and that the material used conforms to the requirements of the specifications indicated below. The tests were performed in accordance with these specifications, and data supporting the indicated results are on file.

CUSTOMER PART NUMBER	PARKER PART NUMBER	COMPOUND	QUANTITY	CURE DATE	SHIP DATE
MS28775-008.	2-D08	N0304 -75	10000	3Q04	10/07/04
TESTED AS: 2-214					
PHYSICAL PROPERTIES	REQUIREMENTS	VARIATION	PARKER FINDINGS		
SPECIFICATION MIL-P-25732C	TYPE	CLASS	TEST DT 09/04/04		
ASTMD297 SPECIFIC GRAVITY			(1.26 - 1.30)	1.2800	
ASTMD2240 HARDNESS SHORE A	(68 - 80)	(70 - 80)		75	
ASTMD1414 TENSILE STRENGTH, PSI	1350 MIN	(1440 - 2160)		1916	
ASTMD1414 ELONGATION, %	160 MIN	(160 - 226)		225	
MODULUS AT 100% ELONG.	500 MIN	(500 - 9999)		545	
TR-10 50% ELONG. 10% RETURN	-49 MAX			-53.0	
FLUID AGEING 70 HRS AT 275F IN MIL H-5606					
ASTMD395 COMPRESSION SET % MAX	55			33.3	
TR-10	-49 MAX			-53.0	
ASTMD2240 HARDNESS CHANGE	+5 -15			-12.0	
VOLUME CHANGE	1 +20			18.8	

No Mercury, Mercury compounds or Mercury bearing instruments, equipment or apparatus which might cause contamination has been used in the manufacture or subsequent processing of material covered by this order.

Purchaser use only. Reproduce only in full. Data pertains to items referenced.

The recording of false, fictitious or fraudulent statements or entries on the certificate may be punishable as a felony under federal law.

The information contained herein is submitted as the privileged and confidential property of the Parker Hannifin Corporation pursuant to 5 U.S.C. Section 552 (b)(3) and (b)(4), the Freedom of Information Act, exemption Number 3 and Number 4. This information shall not be duplicated, used or disclosed in whole or in part outside the recipient organization without express written consent of the Parker Hannifin Corporation.

O-Ring Division
PARKER HANNIFIN CORPORATION

By

Ruben Ramirez
Quality Assurance Manager